



Commit to Your Skin™

With the Power of ZO® Skin Health Science.

Restoring Skin Health

A Systematic Approach

ZO® offers a simple, comprehensive approach to creating and maintaining healthy skin.



STEP 1 **GETTING SKIN READY®**

Getting Skin Ready® is the essential first step toward achieving healthy skin – cleanse, exfoliate and tone to restore skin to a healthy state and optimize treatment.

STEP 2 **PREVENT + CORRECT**

Prevent + Correct addresses specific skincare concerns, providing both preventative daily skincare regimens and aggressive programs targeting repair and restoration.

STEP 3 **PROTECT**

The final step of ZO® protocols, Protect provides broad-spectrum protection solutions for all skin types + tones to defend against skin aging from the sun and other environmental factors.



© 2023 ZEIN OBAGI, MD

DIAGNOSIS

Melasma

PREVENT + CORRECT

Pigment Control Crème, Pigment Control + Blending Crème, Tretinoin and Exfoliation Accelerator for 5 months, followed by Retinol Skin Brightener and Wrinkle + Texture Repair for 1 month and as ongoing maintenance

IN-OFFICE TREATMENT

ZO 3-Step Peel® performed monthly for 3 months

DURATION

8 months



© 2023 ZEIN OBAGI, MD

DIAGNOSIS

Melasma, Rosacea

PREVENT + CORRECT

Pigment Control Crème, Pigment Control + Blending Crème and Tretinoin for 5 months, followed by Retinol Skin Brightener and Wrinkle + Texture Repair for 1 month and as ongoing maintenance, along with 20 mg of oral isotretinoin to arrest rosacea

DURATION

6 months



© 2023 ZEIN OBAGI, MD

DIAGNOSIS

Melasma

PREVENT + CORRECT

Pigment Control Crème, Pigment Control + Blending Crème, Tretinoin and Exfoliation Accelerator for 5 months, followed by Retinol Skin Brightener and Wrinkle + Texture Repair for 1 month and as ongoing maintenance

IN-OFFICE TREATMENT

ZO 3-Step Peel® performed monthly for 3 months

DURATION

8 months



© 2023 ZEIN OBAGI, MD

DIAGNOSIS


Early Melasma, Post-Inflammatory Hyperpigmentation (PIH)

PREVENT + CORRECT

Pigment Control Crème, Pigment Control + Blending Crème, Tretinoin and Exfoliation Accelerator for 5 months, followed by Retinol Skin Brightener and Wrinkle + Texture Repair for 1 month and as ongoing maintenance

DURATION

6 months



© 2023 ZEIN OBAGI, MD

DIAGNOSIS

Severe Melasma, PIH

PREVENT + CORRECT

Pigment Control Crème, Pigment Control + Blending Crème, Tretinoin and Exfoliation Accelerator for 5 months, followed by Retinol Skin Brightener and Wrinkle + Texture Repair for 1 month and as ongoing maintenance

IN-OFFICE TREATMENT

ZO 3-Step Peel® performed monthly for 2 months

DURATION

7 months

ZO® SKIN HEALTH



© 2023 ZEIN OBAGI, MD

DIAGNOSIS


Melasma

PREVENT + CORRECT

Pigment Control Crème, Pigment Control + Blending Crème, Tretinoin and Exfoliation Accelerator for 5 months, followed by Retinol Skin Brightener and Wrinkle + Texture Repair for 1 month and as ongoing maintenance

DURATION

6 months



© 2023 ZEIN OBAGI, MD

DIAGNOSIS

Melasma, Skin Laxity

PREVENT + CORRECT

Pre-condition: Pigment Control Crème, Pigment Control + Blending Crème and Tretinoin for 2 months

Post-procedure: Pigment Control Crème, Pigment Control + Blending Crème and Tretinoin for 3 months, followed by Retinol Skin Brightener and Wrinkle + Texture Repair for 1 month and as ongoing maintenance

IN-OFFICE TREATMENT

ZO Controlled Depth Peel®

DURATION

6 months

ZO® SKIN HEALTH



© 2023 ZEIN OBAGI, MD

DIAGNOSIS

Melasma with hydroquinone resistance, 10 years of self-treatment with 4% hydroquinone purchased from the Internet

PREVENT + CORRECT

Retinol Skin Brightener and Wrinkle + Texture Repair for 6 months

IN-OFFICE TREATMENT

ZO 3-Step Peel® performed monthly for 3 months

DURATION

9 months



© 2023 ZEIN OBAGI, MD

DIAGNOSIS

Hyperpigmentation, PIH, Freckles

PREVENT + CORRECT

Retinol Skin Brightener and Wrinkle + Texture Repair for 5 months

IN-OFFICE TREATMENT

ZO 3-Step Peel® performed monthly for 2 months

DURATION

7 months



© 2023 ZEIN OBAGI, MD

DIAGNOSIS

Melasma

PREVENT + CORRECT

Retinol Skin Brightener and Wrinkle + Texture Repair for 4 months

IN-OFFICE TREATMENT

ZO 3-Step Peel®

DURATION

5 months

ZO® SKIN HEALTH



© 2023 ZEIN OBAGI, MD

DIAGNOSIS

Sun Damage, PIH, Freckles

PREVENT + CORRECT

Retinol Skin Brightener, Exfoliation Accelerator and Wrinkle + Texture Repair for 4 months

IN-OFFICE TREATMENT

ZO 3-Step Peel® performed monthly for 2 months

DURATION

6 months



© 2023 ZEIN OBAGI, MD

DIAGNOSIS

Sun Damage, Lentiginos

PREVENT + CORRECT

Retinol Skin Brightener, Exfoliation Accelerator and Wrinkle + Texture Repair for 5 months

IN-OFFICE TREATMENT

ZO 3-Step Peel® performed monthly for 2 months

DURATION

7 months



© 2023 ZEIN OBAGI, MD

DIAGNOSIS

Sun Damage, Freckles, Lentigines

PREVENT + CORRECT

Retinol Skin Brightener, Exfoliation Accelerator and Wrinkle + Texture Repair for 4 months

IN-OFFICE TREATMENT

ZO 3-Step Peel® performed monthly for 3 months

DURATION

7 months



© 2023 ZEIN OBAGI, MD

DIAGNOSIS

Sun Damage, Freckles, Lentigines

PREVENT + CORRECT

Retinol Skin Brightener, Exfoliation Accelerator and Wrinkle + Texture Repair for 5 months

IN-OFFICE TREATMENT

ZO 3-Step Peel® performed monthly for 3 months

DURATION

8 months



© 2023 ZEIN OBAGI, MD

DIAGNOSIS

Acne Scars, Large Pores, Rough Texture

PREVENT + CORRECT

Pre-condition: Pigment Control Crème, Pigment Control + Blending Crème and Tretinoin for 2 months

Post-procedure: Pigment Control Crème, Pigment Control + Blending Crème and Tretinoin for 3 months, followed by Retinol Skin Brightener and Wrinkle + Texture Repair for 1 month and as ongoing maintenance

IN-OFFICE TREATMENT

ZO Controlled Depth Peel®

DURATION

6 months

ZO® SKIN HEALTH



© 2023 ZEIN OBAGI, MD

DIAGNOSIS

Acne, Rough Texture, Scars

PREVENT + CORRECT

Pigment Control + Blending Crème, Tretinoin, Exfoliation Accelerator and 20 mg oral isotretinoin for 5 months, followed by Acne Control and Wrinkle + Texture Repair for 1 month and as ongoing maintenance

DURATION

6 months



© 2023 ZEIN OBAGI, MD

DIAGNOSIS

Acne, PIH

PREVENT + CORRECT

Pigment Control + Blending Crème, Tretinoin, Exfoliation Accelerator and 20 mg oral isotretinoin for 5 months, followed by Acne Control and Wrinkle + Texture Repair for 1 month and as ongoing maintenance

DURATION

6 months



© 2023 ZEIN OBAGI, MD

DIAGNOSIS

Rosacea

PREVENT + CORRECT

Retinol Skin Brightener, Exfoliation Accelerator and Wrinkle + Texture Repair

DURATION

6 months



© 2023 ZEIN OBAGI, MD

DIAGNOSIS

Rosacea

PREVENT + CORRECT

Retinol Skin Brightener, Exfoliation Accelerator and Wrinkle + Texture Repair with oral isotretinoin

DURATION

5 months



© 2023 ZEIN OBAGI, MD

DIAGNOSIS

Rosacea

PREVENT + CORRECT

Retinol Skin Brightener, Exfoliation Accelerator and Wrinkle + Texture Repair

DURATION

4 months



© 2023 ZEIN OBAGI, MD

DIAGNOSIS

Acne, Acne Scars

PREVENT + CORRECT

Wrinkle + Texture Repair and Acne Control for 2 months

IN-OFFICE TREATMENT

ZO 3-Step Peel® performed monthly for 2 months

DURATION

4 months



© 2023 ZEIN OBAGI, MD

DIAGNOSIS

Acne, Acne Scars, PIH

PREVENT + CORRECT

Wrinkle + Texture Repair and Acne Control for 3 months

IN-OFFICE TREATMENT

ZO 3-Step Peel® performed monthly for 3 months

DURATION

6 months

ZO® SKIN HEALTH



© 2023 ZEIN OBAGI, MD

DIAGNOSIS

Acne

PREVENT + CORRECT

Acne Control

DURATION

6 months

Innovative Products Formulated With

Superior Skin Health Science



STEP 1

Getting Skin Ready®

Cleanse. Exfoliate. Tone.

Getting Skin Ready® is the essential first step toward achieving healthy skin. It is a simple system of cleanse, exfoliate and tone — working synergistically to restore skin to a healthy state and to optimize the effectiveness of any preventative or corrective products.



1

GETTING SKIN READY® PROVEN RESULTS



PORE REDUCTION

At the 8-week interval, GSR® induced a 31% reduction in the appearance of pores.

DISCLAIMER: Pore count/size assessment was provided by the VISIA-CR imaging system, with six different lighting modalities used for the analysis.

PROTOCOL: An 8-week clinical study on 35 subjects. Subjects cleansed both AM/PM with Gentle Cleanser, exfoliated in the AM with Exfoliating Polish, and toned skin both AM/PM with the Oil Control Pads. Subjects used their own self-selected SPF 30+ sunscreen as needed throughout the course of the study.

ZO® SKIN HEALTH

GETTING SKIN READY® PROVEN RESULTS



TEXTURE IMPROVEMENT

At the 8-week interval, GSR® induced a 46% improvement in skin texture.

DISCLAIMER: Skin texture assessment was provided by the VISIA-CR imaging system, with the standard 2 lighting modalities used for the analysis.

PROTOCOL: An 8-week clinical study on 35 subjects. Subjects cleansed both AM/PM with Gentle Cleanser, exfoliated in the AM with Exfoliating Polish, and toned skin both AM/PM with the Oil Control Pads. Subjects used their own self-selected SPF 30+ sunscreen as needed throughout the course of the study.

ZO® SKIN HEALTH

STEP 2

Prevent + Correct

Anti-Aging. Brightening. Redness. Acne.

Prevent + Correct addresses specific skincare concerns with products ranging from preventative daily skincare programs, which keep skin healthy and prevent future damage, to aggressive programs that target repair and restoration.



DAILY POWER DEFENSE PROVEN RESULTS




IMPROVEMENT IN SKIN RADIANCE

At the 2-week interval, 92% of participants said skin appears healthier.

PROTOCOL: A 12-week independent, third-party clinical study of 38 subjects to assess the efficacy potential of Daily Power Defense. Subjects represent females, ages 47-70, with Fitzpatrick skin types I-V. Supported with the use of Gentle Cleanser and Sunscreen + Primer Broad-Spectrum SPF 30 during the study.

DAILY POWER DEFENSE PROVEN RESULTS



IMPROVEMENT IN SKIN UNIFORMITY

At the 4-week interval, 92% of participants said skin maintains visual uniformity throughout the day.

PROTOCOL: A 12-week independent, third-party clinical study of 38 subjects to assess the efficacy potential of Daily Power Defense. Subjects represent females, ages 47-70, with Fitzpatrick skin types I-V. Supported with the use of Gentle Cleanser and Sunscreen + Primer Broad-Spectrum SPF 30 during the study.

DAILY POWER DEFENSE PROVEN RESULTS



OVERALL APPEARANCE IMPROVEMENT

At the 8-week interval, Daily Power Defense induced a reduction in crow's feet and improved overall appearance.

PROTOCOL: : A 12-week independent, third-party clinical study of 38 subjects to assess the efficacy potential of Daily Power Defense. Subjects represent females, ages 47-70, with Fitzpatrick skin types I-V. Supported with the use of Gentle Cleanser and Sunscreen + Primer Broad-Spectrum SPF 30 during the study.

DAILY POWER DEFENSE PROVEN RESULTS



MORE CALM, LESS BLOTCHY SKIN TONE

Within 8 hours, 84% of participants said skin feels soothed and it stays hydrated throughout the day.

DISCLAIMER: Images to the left taken with white light (standard) modality. Provides balanced cross-lighting for good evaluation of most skin features under typical light conditions. Images to the right taken with cross-polarized light modality. Filters out surface reflections for superior visualization of sub-surface detail, such as vascular + pigment differences.

PROTOCOL: A 12-week independent, third-party clinical study of 38 subjects to assess the efficacy potential of Daily Power Defense. Subjects represent females, ages 47-70, with Fitzpatrick skin types I-V. Supported with use of Gentle Cleanser and Sunscreen + Primer Broad-Spectrum SPF 30 during the study.

FIRMING SERUM PROVEN RESULTS



IMPROVEMENT IN THE APPEARANCE OF FIRMNESS

At the 12-week interval, 97% of patients showed significant improvement in skin firmness.

PROTOCOL: A 24-week independent third-party clinical study of 45 subjects to assess the efficacy potential of Firming Serum. Subjects represent females, ages 40–69, with Fitzpatrick skin types II–IV. Supported with the use of Gentle Cleanser and Sunscreen + Primer Broad-Spectrum SPF 30 during the study.

FIRMING SERUM PROVEN RESULTS



IMPROVEMENT IN THE APPEARANCE OF SAGGING SKIN

At the 12-week interval, 93% of patients experienced improvement in both mid-face and jawline skin sagging.

PROTOCOL: A 24-week independent third-party clinical study of 45 subjects to assess the efficacy potential of Firming Serum. Subjects represent females, ages 40–69, with Fitzpatrick skin types II–IV. Supported with the use of Gentle Cleanser and Sunscreen + Primer Broad-Spectrum SPF 30 during the study.

GROWTH FACTOR SERUM PROVEN RESULTS




IMPROVEMENT IN FINE LINES + WRINKLES

At the 12-week interval, 92% of patients experienced improvement in fine lines + wrinkles.

DISCLAIMER: Images were captured and analyzed with an Antera 3D camera to determine improvements in fine lines and wrinkles.

PROTOCOL: Forty-one female subjects, Fitzpatrick Skin Types II-IV with moderate to severe fine lines and wrinkles + lack of firmness, completed a 12-week study. Subjects cleansed skin in both AM/PM, with Gentle Cleanser, applied Growth Factor Serum in the AM/PM, and applied SPF 30+ Primer Sunscreen in the AM daily.

GROWTH FACTOR SERUM PROVEN RESULTS



IMPROVEMENT IN FINE LINES + WRINKLES

At the 12-week interval, 92% of patients experienced improvement in fine lines + wrinkles.

DISCLAIMER: Images were captured and analyzed with an Antera 3D camera to determine improvements in fine lines and wrinkles.

PROTOCOL: Forty-one female subjects, Fitzpatrick Skin Types II–IV with moderate to severe fine lines and wrinkles + lack of firmness, completed a 12-week study. Subjects cleansed skin in both AM/PM, with Gentle Cleanser, applied Growth Factor Serum in the AM/PM, and applied SPF 30+ Primer Sunscreen in the AM daily.

INSTANT PORE REFINER PROVEN RESULTS



PORE SIZE IMPROVEMENT

At the 4-week interval, Instant Pore Refiner addressed skin concerns commonly associated with enlarged pores by demonstrating improvement in pore size.

DISCLAIMER: Sizes of pores were measured by the VISIA-CR imaging system, using pixel intensities. A decrease in pixel intensity, represented by reduced concentrations of red, demonstrates improvement in pore size.

PROTOCOL: Independent third-party clinical study of 32 subjects to assess the efficacy potential of Instant Pore Refiner. Following cleansing with Exfoliating Cleanser, subjects applied Instant Pore Refiner twice a day for four weeks. Subjects were evaluated at baseline and at weeks 1, 2 and 4.

INSTANT PORE REFINER PROVEN RESULTS



PORE SIZE IMPROVEMENT

At the 4-week interval, Instant Pore Refiner addressed skin concerns commonly associated with enlarged pores by demonstrating improvement in pore size.

DISCLAIMER: Sizes of pores were measured by the VISIA-CR imaging system, using pixel intensities. A decrease in pixel intensity, represented by reduced concentrations of red, demonstrates improvement in pore size.

PROTOCOL: Independent third-party clinical study of 32 subjects to assess the efficacy potential of Instant Pore Refiner. Following cleansing with Exfoliating Cleanser, subjects applied Instant Pore Refiner twice a day for four weeks. Subjects were evaluated at baseline and at weeks 1, 2 and 4.

BRIGHTALIVE® PROVEN RESULTS



SKIN QUALITY + SKIN LUMINOSITY

At the 16-week interval, Brightalive® induced a 50% improvement in skin's appearance and a 52% improvement in skin quality.

DISCLAIMER: Images have not been retouched. Images were acquired using the VISIA-CR photography system, with cross-polarized lighting.

PROTOCOL: A 16-week physician led clinical study of 50 subjects to assess the efficacy potential of Brightalive® Skin Brightener. Subjects represent females, ages 30-70, with Fitzpatrick skin types I-VI and exhibiting moderate to severe facial dyspigmentation. Supported with use of Gentle Cleanser and Broad-Spectrum Sunscreen SPF 50 during the study.

BRIGHTALIVE® PROVEN RESULTS



**EVENNESS +
CLARITY**

At the 16-week interval, Brightalive® induced a 40% improvement in skin color.

DISCLAIMER: Images have not been retouched. Images were acquired using the VISIA-CR photography system, with cross-polarized lighting.

PROTOCOL: A 16-week physician led clinical study of 50 subjects to assess the efficacy potential of Brightalive® Skin Brightener. Subjects represent females, ages 30-70, with Fitzpatrick skin types I-VI and exhibiting moderate to severe facial dyspigmentation. Supported with use of Gentle Cleanser and Broad-Spectrum Sunscreen SPF 50 during the study.

BRIGHTALIVE® PROVEN RESULTS



SPOT SIZE + INTENSITY

At the 16-week interval, Brightalive® induced a 47% improvement in pigmentation.

DISCLAIMER: Images have not been retouched. Images were acquired using the VISIA-CR photography system, with cross-polarized lighting.

PROTOCOL: A 16-week physician led clinical study of 50 subjects to assess the efficacy potential of Brightalive® Skin Brightener. Subjects represent females, ages 30-70, with Fitzpatrick skin types I-VI and exhibiting moderate to severe facial dyspigmentation. Supported with use of Gentle Cleanser and Broad-Spectrum Sunscreen SPF 50 during the study.

ROZATROL® PROVEN RESULTS



REDNESS REDUCTION

At the 6-week interval, Rozatrol® demonstrated a decrease in the signs and symptoms associated with rosacea.

DISCLAIMER: Images have not been retouched. Images were acquired using the VISIA-CR photography system, with cross-polarized lighting.

PROTOCOL: Statistically significant improvement at $p < 0.05$. Independent third-party clinical study of 22 subjects to assess the efficacy potential of Rozatrol® in minimizing the signs and symptoms of rosacea. Subjects were evaluated at 2, 4 and 6 weeks with the following protocol AM and PM: Exfoliating Cleanser, Rozatrol® and Broad-Spectrum Sunscreen SPF 50 in the AM.

ROZATROL® PROVEN RESULTS



REDNESS REDUCTION

At the 6-week interval, Rozatrol® demonstrated a decrease in the signs and symptoms associated with rosacea.

DISCLAIMER: Images have not been retouched. Images were acquired using the VISIA-CR photography system, with cross-polarized lighting.

PROTOCOL: Statistically significant improvement at $p < 0.05$. Independent third-party clinical study of 22 subjects to assess the efficacy potential of Rozatrol® in minimizing the signs and symptoms of rosacea. Subjects were evaluated at 2, 4 and 6 weeks with the following protocol AM and PM: Exfoliating Cleanser, Rozatrol® and Broad-Spectrum Sunscreen SPF 50 in the AM.

WRINKLE + TEXTURE REPAIR PROVEN RESULTS



LINES + WRINKLES IMPROVEMENT

93% of participants saw improvement in crow's feet and facial fine lines by week 12.

DISCLAIMER: Images were captured and analyzed by using Clarity 2D Research System

PROTOCOL: A 12-week independent third-party clinical study of 43 subjects to assess the efficacy potential of Wrinkle + Texture Repair. Subjects represent females, ages 42–67, with Fitzpatrick skin types II–IV. Supported with the use of Gentle Cleanser, Broad-Spectrum SPF 50 and Hydrating Crème during the study.

WRINKLE + TEXTURE REPAIR PROVEN RESULTS



TEXTURE IMPROVEMENT

93% of participants saw improvement in skin texture by week 12.

DISCLAIMER: Images were captured and analyzed by using Clarity 2D Research System

PROTOCOL: A 12-week independent third-party clinical study of 43 subjects to assess the efficacy potential of Wrinkle + Texture Repair. Subjects represent females, ages 42-67, with Fitzpatrick skin types II-IV. Supported with the use of Gentle Cleanser, Broad-Spectrum SPF 50 and Hydrating Crème during the study.

HYDRATING CRÈME PROVEN RESULTS



OVERALL APPEARANCE IMPROVEMENT

Patients showed significant improvement in overall skin appearance, with increased hydration, reduced redness and smooth skin texture.

PROTOCOL: A 12-week independent third-party clinical study of 42 subjects to assess the efficacy potential of Hydrating Crème. Subjects represent both males and females, ages 25–76, with Fitzpatrick skin types I–V. Supported with use of Hydrating Cleanser and Sunscreen + Primer SPF 30 during the study. Immediate benefits were determined 30 minutes post application of the Hydrating Crème.

HYDRATING CRÈME PROVEN RESULTS



REDNESS IMPROVEMENT

More than 80% of patients reported that their skin felt healthier and smoother, and was more hydrated and less red by week 12.

PROTOCOL: A 12-week independent third-party clinical study of 42 subjects to assess the efficacy potential of Hydrating Crème. Subjects represent both males and females, ages 25–76, with Fitzpatrick skin types I–V. Supported with use of Hydrating Cleanser and Sunscreen + Primer SPF 30 during the study. Immediate benefits were determined 30 minutes post application of the Hydrating Crème.

HYDRATING CRÈME PROVEN RESULTS



TEXTURE + SMOOTHNESS IMPROVEMENT

Hydrating Crème visibly improves rough skin by smoothing skin texture.

DISCLAIMER: Images were captured and analyzed with an Antera analysis system to determine reduction in scaling.

PROTOCOL: A 12-week independent third-party clinical study of 42 subjects to assess the efficacy potential of Hydrating Crème. Subjects represent both males and females, ages 25–76, with Fitzpatrick skin types I–V. Supported with use of Hydrating Cleanser and Sunscreen + Primer SPF 30 during the study. Immediate benefits were determined 30 minutes post application of the Hydrating Crème.

GROWTH FACTOR EYE SERUM PROVEN RESULTS



**REDESIGNED +
INVIGORATED**

At the 4-week interval, 95% of patients said that fine lines are less noticeable.

DISCLAIMER: Images have not been retouched. Images were acquired using the VISIA-CR photography system, with cross-polarized lighting.

PROTOCOL: An 8-week third-party led clinical study on 36 subjects to assess product efficacy of Growth Factor Eye Serum. Supported with Gentle Cleanser and Broad Spectrum Sunscreen SPF 50.

GROWTH FACTOR EYE SERUM PROVEN RESULTS



**RESENSIFIED +
INVIGORATED**

At the 4-week interval, 92% of patients saw a noticeable reduction in the appearance of dark circles around the eyes.

DISCLAIMER: Images have not been retouched. Images were acquired using the VISIA-CR photography system, with cross-polarized lighting.

PROTOCOL: An 8-week third-party led clinical study on 36 subjects to assess product efficacy of Growth Factor Eye Serum. Supported with Gentle Cleanser and Broad Spectrum Sunscreen SPF 50.

RENEWAL CRÈME PROVEN RESULTS



IMPROVEMENT IN REDNESS + OVERALL APPEARANCE

At the 8-week interval, 90% of participants said skin feels healthier.

PROTOCOL: A 12-week third-party clinical study of 42 subjects to assess the efficacy potential of Renewal Crème. Subjects represent females, ages 42-65, with Fitzpatrick skin types I-IV. Supported with the use of Gentle Cleanser and Sunscreen + Primer Broad-Spectrum SPF 30 during the study.

RENEWAL CRÈME PROVEN RESULTS





SOFTENS THE SIGNS OF AGING

At the 8-week interval, over 80% of participants said that skin feels more hydrated and less dull.

PROTOCOL: A 12-week third-party clinical study of 42 subjects to assess the efficacy potential of Renewal Crème. Subjects represent females, ages 42-65, with Fitzpatrick skin types I-IV. Supported with the use of Gentle Cleanser and Sunscreen + Primer Broad-Spectrum SPF 30 during the study.

RECOVERY CRÈME PROVEN RESULTS




IMPROVEMENT IN REDNESS + OVERALL APPEARANCE

At the 8-week interval, 91% of participants saw a visible improvement in skin smoothness.

PROTOCOL: A 12-week third-party clinical study of 44 subjects to assess the efficacy potential of Recovery Crème. Subjects represent females, ages 40-70, with Fitzpatrick skin types I-VI. Supported with the use of Gentle Cleanser and Sunscreen + Primer Broad-Spectrum SPF 30 during the study.

RECOVERY CRÈME PROVEN RESULTS



**SOFTENS THE
SIGNS OF AGING**

At the 8-week interval, 94% of participants said that skin is younger-looking.

PROTOCOL: A 12-week third-party clinical study of 44 subjects to assess the efficacy potential of Recovery Crème. Subjects represent females, ages 40-70, with Fitzpatrick skin types I-VI. Supported with the use of Gentle Cleanser and Sunscreen + Primer Broad-Spectrum SPF 30 during the study.

ZO® SKIN HEALTH

RECOVERY CRÈME PROVEN RESULTS




IMPROVEMENT IN FINE LINES AROUND THE NECK

At the 4-week interval, Recovery Crème induced a reduction in fine lines on the neck.

PROTOCOL: A 12-week third-party clinical study of 44 subjects to assess the efficacy potential of Recovery Crème. Subjects represent females, ages 40-70, with Fitzpatrick skin types I-VI. Supported with the use of Gentle Cleanser and Sunscreen + Primer Broad-Spectrum SPF 30 during the study.

RECOVERY CRÈME PROVEN RESULTS



IMPROVEMENT IN FINE LINES AROUND THE NECK

At the 4-week interval, Recovery Crème induced a 36% decrease in wrinkle depth.

PROTOCOL: A 12-week third-party clinical study of 44 subjects to assess the efficacy potential of Recovery Crème. Subjects represent females, ages 40-70, with Fitzpatrick skin types I-VI. Supported with the use of Gentle Cleanser and Sunscreen + Primer Broad-Spectrum SPF 30 during the study.



ZOSKINHEALTH.COM

800151-04



Please recycle.