# Commit to Your Skin

With the Power of ZO® Skin Health Science.

Restoring Skin Health

A Systematic Approach

ZO® offers a simple, comprehensive approach to creating and maintaining healthy skin.

#### STEP 1 GETTING SKIN READY®

Getting Skin Ready® is the essential first step toward achieving healthy skin – cleanse, exfoliate and tone to restore skin to a healthy state and optimize treatment.

#### STEP 2 PREVENT + CORRECT

Prevent + Correct addresses specific skincare concerns, providing both preventative daily skincare regimens and aggressive programs targeting repair and restoration.

#### STEP 3 PROTECT

The final step of ZO® protocols, Protect provides broad-spectrum protection solutions for all skin types + tones to defend against skin aging from the sun and other environmental factors.





© 2023 ZEIN OBAGI, MD

**DIAGNOSIS** 

PREVENT + CORRECT

IN-OFFICE TREATMENT DURATION

Melasma

Pigment Control Crème, Pigment Control + Blending Crème, Tretinoin and Exfoliation Accelerator for 5 months, followed by Retinol Skin Brightener and Wrinkle + Texture Repair for 1 month and as ongoing maintenance ZO 3-Step Peel® performed monthly for 3 months

8 months





© 2023 ZEIN OBAGI, MD

**DIAGNOSIS** Melasma, Rosacea

**PREVENT + CORRECT** Pigment Control Crème, Pigment Control + Blending Crème and Tretinoin for 5 months, followed by Retinol

Skin Brightener and Wrinkle + Texture Repair for 1 month and as ongoing maintenance, along with 20 mg of oral

isotretinoin to arrest rosacea

**DURATION** 6 months





© 2023 ZEIN OBAGI, MD

**DIAGNOSIS** Melasma

**PREVENT + CORRECT** Pigment Control Crème, Pigment Control + Blending Crème, Tretinoin and Exfoliation Accelerator for 5 months,

followed by Retinol Skin Brightener and Wrinkle + Texture Repair for 1 month and as ongoing maintenance

**IN-OFFICE TREATMENT** ZO 3-Step Peel® performed monthly for 3 months

**DURATION** 8 months





© 2023 ZEIN OBAGI, MD

**DIAGNOSIS** Early Melasma, Post-Inflammatory Hyperpigmentation (PIH)

PREVENT + CORRECT Pigment Control Crème, Pigment Control + Blending Crème, Tretinoin and Exfoliation Accelerator for 5 months,

followed by Retinol Skin Brightener and Wrinkle + Texture Repair for 1 month and as ongoing maintenance

**DURATION** 6 months





© 2023 ZEIN OBAGI, MD

**DIAGNOSIS** Severe Melasma, PIH

**PREVENT + CORRECT** Pigment Control Crème, Pigment Control + Blending Crème, Tretinoin and Exfoliation Accelerator for 5 months,

followed by Retinol Skin Brightener and Wrinkle + Texture Repair for 1 month and as ongoing maintenance

**IN-OFFICE TREATMENT** ZO 3-Step Peel® performed monthly for 2 months

**DURATION** 7 months





© 2023 ZEIN OBAGI, MD

**DIAGNOSIS** Melasma

PREVENT + CORRECT Pigment Control Crème, Pigment Control + Blending Crème, Tretinoin and Exfoliation Accelerator for 5 months, followed

by Retinol Skin Brightener and Wrinkle + Texture Repair for 1 month and as ongoing maintenance

**DURATION** 6 months





© 2023 ZEIN OBAGI, MD

**DIAGNOSIS** Melasma, Skin Laxity

**PREVENT + CORRECT** Pre-condition: Pigment Control Crème, Pigment Control + Blending Crème and Tretinoin for 2 months

Post-procedure: Pigment Control Crème, Pigment Control + Blending Crème and Tretinoin for 3 months, followed by

Retinol Skin Brightener and Wrinkle + Texture Repair for 1 month and as ongoing maintenance

**IN-OFFICE TREATMENT**ZO Controlled Depth Peel®

**DURATION** 6 months





© 2023 ZEIN OBAGI, MD

DIAGNOSIS

PREVENT + CORRECT

IN-OFFICE TREATMENT

**DURATION** 

Melasma with hydroquinone resistance, 10 years of self-treatment with 4% hydroquinone purchased from the Internet

Retinol Skin Brightener and Wrinkle + Texture Repair for 6 months

ZO 3-Step Peel® performed monthly for 3 months

9 months





© 2023 ZEIN OBAGI, MD

**DIAGNOSIS** Hyperpigmentation, PIH, Freckles

**PREVENT + CORRECT** Retinol Skin Brightener and Wrinkle + Texture Repair for 5 months

**IN-OFFICE TREATMENT** ZO 3-Step Peel® performed monthly for 2 months

**DURATION** 7 months





© 2023 ZEIN OBAGI, MD

**DIAGNOSIS** Melasma

**PREVENT + CORRECT** Retinol Skin Brightener and Wrinkle + Texture Repair for 4 months

IN-OFFICE TREATMENT ZO 3-Step Peel®

**DURATION** 5 months





© 2023 ZEIN OBAGI, MD

**DIAGNOSIS** Sun Damage, PIH, Freckles

**PREVENT + CORRECT**Retinol Skin Brightener, Exfoliation Accelerator and Wrinkle + Texture Repair for 4 months

**IN-OFFICE TREATMENT** ZO 3-Step Peel® performed monthly for 2 months

**DURATION** 6 months





© 2023 ZEIN OBAGI, MD

**DIAGNOSIS** Sun Damage, Lentigines

**PREVENT + CORRECT** Retinol Skin Brightener, Exfoliation Accelerator and Wrinkle + Texture Repair for 5 months

**IN-OFFICE TREATMENT** ZO 3-Step Peel® performed monthly for 2 months

**DURATION** 7 months





© 2023 ZEIN OBAGI, MD

**DIAGNOSIS** Sun Damage, Freckles, Lentigines

**PREVENT + CORRECT** Retinol Skin Brightener, Exfoliation Accelerator and Wrinkle + Texture Repair for 4 months

**IN-OFFICE TREATMENT** ZO 3-Step Peel® performed monthly for 3 months

**DURATION** 7 months





© 2023 ZEIN OBAGI, MD

**DIAGNOSIS** Sun Damage, Freckles, Lentigines

**PREVENT + CORRECT** Retinol Skin Brightener, Exfoliation Accelerator and Wrinkle + Texture Repair for 5 months

**IN-OFFICE TREATMENT** ZO 3-Step Peel® performed monthly for 3 months

**DURATION** 8 months





© 2023 ZEIN OBAGI, MD

**DIAGNOSIS** Acne Scars, Large Pores, Rough Texture

**PREVENT + CORRECT** Pre-condition: Pigment Control Crème, Pigment Control + Blending Crème and Tretinoin for 2 months

Post-procedure: Pigment Control Crème, Pigment Control + Blending Crème and Tretinoin for 3 months, followed by

Retinol Skin Brightener and Wrinkle + Texture Repair for 1 month and as ongoing maintenance

IN-OFFICE TREATMENT ZO Controlled Depth Peel®

**DURATION** 6 months





© 2023 ZEIN OBAGI, MD

**DIAGNOSIS** Acne, Rough Texture, Scars

**PREVENT + CORRECT** Pigment Control + Blending Crème, Tretinoin, Exfoliation Accelerator and 20 mg oral isotretinoin for 5 months, followed

by Acne Control and Wrinkle + Texture Repair for 1 month and as ongoing maintenance

**DURATION** 6 months





© 2023 ZEIN OBAGI, MD

**DIAGNOSIS** Acne, PIH

**PREVENT + CORRECT** Pigment Control + Blending Crème, Tretinoin, Exfoliation Accelerator and 20 mg oral isotretinoin for 5 months, followed

by Acne Control and Wrinkle + Texture Repair for 1 month and as ongoing maintenance

**DURATION** 6 months





© 2023 ZEIN OBAGI, MD

**DIAGNOSIS** Rosacea

**PREVENT + CORRECT** Retinol Skin Brightener, Exfoliation Accelerator and Wrinkle + Texture Repair

**DURATION** 6 months





© 2023 ZEIN OBAGI, MD

**DIAGNOSIS** Rosacea

**PREVENT + CORRECT** Retinol Skin Brightener, Exfoliation Accelerator and Wrinkle + Texture Repair with oral isotretinoin

**DURATION** 5 months





© 2023 ZEIN OBAGI, MD

**DIAGNOSIS** Rosacea

**PREVENT + CORRECT** Retinol Skin Brightener, Exfoliation Accelerator and Wrinkle + Texture Repair

**DURATION** 4 months





© 2023 ZEIN OBAGI, MD

**DIAGNOSIS** Acne, Acne Scars

**PREVENT + CORRECT** Wrinkle + Texture Repair and Acne Control for 2 months

**IN-OFFICE TREATMENT** ZO 3-Step Peel® performed monthly for 2 months

**DURATION** 4 months





© 2023 ZEIN OBAGI, MD

**DIAGNOSIS** Acne, Acne Scars, PIH

**PREVENT + CORRECT** Wrinkle + Texture Repair and Acne Control for 3 months

**IN-OFFICE TREATMENT** ZO 3-Step Peel® performed monthly for 3 months

**DURATION** 6 months





© 2023 ZEIN OBAGI, MD

**DIAGNOSIS** Acne

**PREVENT + CORRECT** Acne Control

**DURATION** 6 months

Innovative Products Formulated With

# Superior Skin Health Science



STEP 1

# Getting Skin Ready® Cleanse. Exfoliate. Tone.

Getting Skin Ready® is the essential first step toward achieving healthy skin. It is a simple system of cleanse, exfoliate and tone — working synergistically to restore skin to a healthy state and to optimize the effectiveness of any preventative or corrective products.



#### GETTING SKIN READY® PROVEN RESULTS





#### PORE REDUCTION

At the 8-week interval, GSR® induced a 31% reduction in the appearance of pores.

**DISCLAIMER:** Pore count/size assessment was provided by the VISIA-CR imaging system, with six different lighting modalities used for the analysis. **PROTOCOL:** An 8-week clinical study on 35 subjects. Subjects cleansed both AM/PM with Gentle Cleanser, exfoliated in the AM with Exfoliating Polish, and toned skin both AM/PM with the Oil Control Pads. Subjects used their own self-selected SPF 30+ sunscreen as needed throughout the course of the study.

#### GETTING SKIN READY® PROVEN RESULTS





#### **TEXTURE IMPROVEMENT**

At the 8-week interval, GSR® induced a 46% improvement in skin texture.

**DISCLAIMER:** Skin texture assessment was provided by the VISIA-CR imaging system, with the standard 2 lighting modalities used for the analysis. **PROTOCOL:** An 8-week clinical study on 35 subjects. Subjects cleansed both AM/PM with Gentle Cleanser, exfoliated in the AM with Exfoliating Polish, and toned skin both AM/PM with the Oil Control Pads. Subjects used their own self-selected SPF 30+ sunscreen as needed throughout the course of the study. STEP 2

## Prevent + Correct

Anti-Aging. Brightening. Redness. Acne.

Prevent + Correct addresses specific skincare concerns with products ranging from preventative daily skincare programs, which keep skin healthy and prevent future damage, to aggressive programs that target repair and restoration.







IMPROVEMENT IN SKIN RADIANCE

At the 2-week interval, 92% of participants said skin appears healthier.

**PROTOCOL:** A 12-week independent, third-party clinical study of 38 subjects to assess the efficacy potential of Daily Power Defense. Subjects represent females, ages 47-70, with Fitzpatrick skin types I-V. Supported with the use of Gentle Cleanser and Sunscreen + Primer Broad-Spectrum SPF 30 during the study.





IMPROVEMENT IN SKIN UNIFORMITY

At the 4-week interval, 92% of participants said skin maintains visual uniformity throughout the day.

**PROTOCOL:** A 12-week independent, third-party clinical study of 38 subjects to assess the efficacy potential of Daily Power Defense. Subjects represent females, ages 47-70, with Fitzpatrick skin types I-V. Supported with the use of Gentle Cleanser and Sunscreen + Primer Broad-Spectrum SPF 30 during the study.





OVERALL APPEARANCE IMPROVEMENT

At the 8-week interval, Daily Power Defense induced a reduction in crow's feet and improved overall appearance.

**PROTOCOL:** : A 12-week independent, third-party clinical study of 38 subjects to assess the efficacy potential of Daily Power Defense. Subjects represent females, ages 47-70, with Fitzpatrick skin types I-V. Supported with the use of Gentle Cleanser and Sunscreen + Primer Broad-Spectrum SPF 30 during the study.





#### MORE CALM, LESS BLOTCHY SKIN TONE

Within 8 hours, 84% of participants said skin feels soothed and it stays hydrated throughout the day.

**DISCLAIMER:** Images to the left taken with white light (standard) modality. Provides balanced cross-lighting for good evaluation of most skin features under typical light conditions. Images to the right taken with cross-polarized light modality. Filters out surface reflections for superior visualization of sub-surface detail, such as vascular + pigment differences. **PROTOCOL:** A 12-week independent, third-party clinical study of 38 subjects to assess the efficacy potential of Daily Power Defense. Subjects represent females, ages 47-70, with Fitzpatrick skin types I-V. Supported with use of Gentle Cleanser and Sunscreen + Primer Broad-Spectrum SPF 30 during the study.

#### FIRMING SERUM PROVEN RESULTS





IMPROVEMENT IN THE APPEARANCE OF FIRMNESS

At the 12-week interval, 97% of patients showed significant improvement in skin firmness.

**PROTOCOL:** A 24-week independent third-party clinical study of 45 subjects to assess the efficacy potential of Firming Serum. Subjects represent females, ages 40–69, with Fitzpatrick skin types II–IV. Supported with the use of Gentle Cleanser and Sunscreen + Primer Broad-Spectrum SPF 30 during the study.

#### FIRMING SERUM PROVEN RESULTS





IMPROVEMENT IN THE APPEARANCE OF SAGGING SKIN

At the 12-week interval, 93% of patients experienced improvement in both mid-face and jawline skin sagging.

**PROTOCOL:** A 24-week independent third-party clinical study of 45 subjects to assess the efficacy potential of Firming Serum. Subjects represent females, ages 40–69, with Fitzpatrick skin types II–IV. Supported with the use of Gentle Cleanser and Sunscreen + Primer Broad-Spectrum SPF 30 during the study.

### GROWTH FACTOR SERUM PROVEN RESULTS





IMPROVEMENT IN FINE LINES + WRINKLES

At the 12-week interval, 92% of patients experienced improvement in fine lines + wrinkles.

**DISCLAIMER:** Images were captured and analyzed with an Antera 3D camera to determine improvements in fine lines and wrinkles. **PROTOCOL:** Forty-one female subjects, Fitzpatrick Skin Types II–IV with moderate to severe fine lines and wrinkles + lack of firmness, completed a 12-week study. Subjects cleansed skin in both AM/PM, with Gentle Cleanser, applied Growth Factor Serum in the AM/PM, and applied SPF 30+ Primer Sunscreen in the AM daily.

### GROWTH FACTOR SERUM PROVEN RESULTS





IMPROVEMENT IN FINE LINES + WRINKLES

At the 12-week interval, 92% of patients experienced improvement in fine lines + wrinkles.

**DISCLAIMER:** Images were captured and analyzed with an Antera 3D camera to determine improvements in fine lines and wrinkles. **PROTOCOL:** Forty-one female subjects, Fitzpatrick Skin Types II–IV with moderate to severe fine lines and wrinkles + lack of firmness, completed a 12-week study. Subjects cleansed skin in both AM/PM, with Gentle Cleanser, applied Growth Factor Serum in the AM/PM, and applied SPF 30+ Primer Sunscreen in the AM daily.

#### INSTANT PORE REFINER PROVEN RESULTS





# PORE SIZE IMPROVEMENT

At the 4-week interval, Instant Pore Refiner addressed skin concerns commonly associated with enlarged pores by demonstrating improvement in pore size.

**DISCLAIMER:** Sizes of pores were measured by the VISIA-CR imaging system, using pixel intensities. A decrease in pixel intensity, represented by reduced concentrations of red, demonstrates improvement in pore size.

**PROTOCOL:** Independent third-party clinical study of 32 subjects to assess the efficacy potential of Instant Pore Refiner. Following cleansing with Exfoliating Cleanser, subjects applied Instant Pore Refiner twice a day for four weeks. Subjects were evaluated at baseline and at weeks 1, 2 and 4.

#### INSTANT PORE REFINER PROVEN RESULTS





# PORE SIZE IMPROVEMENT

At the 4-week interval, Instant Pore Refiner addressed skin concerns commonly associated with enlarged pores by demonstrating improvement in pore size.

**DISCLAIMER:** Sizes of pores were measured by the VISIA-CR imaging system, using pixel intensities. A decrease in pixel intensity, represented by reduced concentrations of red, demonstrates improvement in pore size.

**PROTOCOL:** Independent third-party clinical study of 32 subjects to assess the efficacy potential of Instant Pore Refiner. Following cleansing with Exfoliating Cleanser, subjects applied Instant Pore Refiner twice a day for four weeks. Subjects were evaluated at baseline and at weeks 1, 2 and 4.

### BRIGHTALIVE® PROVEN RESULTS







SKIN QUALITY + SKIN LUMINOSITY

At the 16-week interval, Brightalive® induced a 50% improvement in skin's appearance and a 52% improvement in skin quality.

**DISCLAIMER:** Images have not been retouched. Images were acquired using the VISIA-CR photography system, with cross-polarized lighting. **PROTOCOL:** A 16-week physician led clinical study of 50 subjects to assess the efficacy potential of Brightalive® Skin Brightener. Subjects represent females, ages 30-70, with Fitzpatrick skin types I-VI and exhibiting moderate to severe facial dyspigmentation. Supported with use of Gentle Cleanser and Broad-Spectrum Sunscreen SPF 50 during the study.

### BRIGHTALIVE® PROVEN RESULTS





EVENNESS + CLARITY

At the 16-week interval, Brightalive® induced a 40% improvement in skin color.

**DISCLAIMER:** Images have not been retouched. Images were acquired using the VISIA-CR photography system, with cross-polarized lighting. **PROTOCOL:** A 16-week physician led clinical study of 50 subjects to assess the efficacy potential of Brightalive® Skin Brightener. Subjects represent females, ages 30-70, with Fitzpatrick skin types I-VI and exhibiting moderate to severe facial dyspigmentation. Supported with use of Gentle Cleanser and Broad-Spectrum Sunscreen SPF 50 during the study.

### BRIGHTALIVE® PROVEN RESULTS





SPOT SIZE + INTENSITY

At the 16-week interval, Brightalive® induced a 47% improvement in pigmentation.

**DISCLAIMER:** Images have not been retouched. Images were acquired using the VISIA-CR photography system, with cross-polarized lighting. **PROTOCOL:** A 16-week physician led clinical study of 50 subjects to assess the efficacy potential of Brightalive® Skin Brightener. Subjects represent females, ages 30-70, with Fitzpatrick skin types I-VI and exhibiting moderate to severe facial dyspigmentation. Supported with use of Gentle Cleanser and Broad-Spectrum Sunscreen SPF 50 during the study.

### ROZATROL® PROVEN RESULTS





#### **REDNESS REDUCTION**

At the 6-week interval, Rozatrol® demonstrated a decrease in the signs and symptoms associated with rosacea.

**DISCLAIMER:** Images have not been retouched. Images were acquired using the VISIA-CR photography system, with cross-polarized lighting. **PROTOCOL:** Statistically significant improvement at p < 0.05. Independent third-party clinical study of 22 subjects to assess the efficacy potential of Rozatrol® in minimizing the signs and symptoms of rosacea. Subjects were evaluated at 2, 4 and 6 weeks with the following protocol AM and PM: Exfoliating Cleanser, Rozatrol® and Broad-Spectrum Sunscreen SPF 50 in the AM.

### ROZATROL® PROVEN RESULTS





#### **REDNESS REDUCTION**

At the 6-week interval, Rozatrol® demonstrated a decrease in the signs and symptoms associated with rosacea.

**DISCLAIMER:** Images have not been retouched. Images were acquired using the VISIA-CR photography system, with cross-polarized lighting. **PROTOCOL:** Statistically significant improvement at p < 0.05. Independent third-party clinical study of 22 subjects to assess the efficacy potential of Rozatrol® in minimizing the signs and symptoms of rosacea. Subjects were evaluated at 2, 4 and 6 weeks with the following protocol AM and PM: Exfoliating Cleanser, Rozatrol® and Broad-Spectrum Sunscreen SPF 50 in the AM.

### WRINKLE + TEXTURE REPAIR PROVEN RESULTS





LINES + WRINKLES IMPROVEMENT

93% of participants saw improvement in crow's feet and facial fine lines by week 12.

**DISCLAIMER:** Images were captured and analyzed by using Clarity 2D Research System **PROTOCOL:** A 12-week independent third-party clinical study of 43 subjects to assess the efficacy potential of Wrinkle + Texture Repair. Subjects represent females, ages 42–67, with Fitzpatrick skin types II–IV. Supported with the use of Gentle Cleanser, Broad-Spectrum SPF 50 and Hydrating Crème during the study.

### WRINKLE + TEXTURE REPAIR PROVEN RESULTS





# TEXTURE IMPROVEMENT

93% of participants saw improvement in skin texture by week 12.

**DISCLAIMER:** Images were captured and analyzed by using Clarity 2D Research System **PROTOCOL:** A 12-week independent third-party clinical study of 43 subjects to assess the efficacy potential of Wrinkle + Texture Repair. Subjects represent females, ages 42–67, with Fitzpatrick skin types II–IV. Supported with the use of Gentle Cleanser, Broad-Spectrum SPF 50 and Hydrating Crème during the study.

### HYDRATING CRÈME PROVEN RESULTS





# OVERALL APPEARANCE IMPROVEMENT

Patients showed significant improvement in overall skin appearance, with increased hydration, reduced redness and smooth skin texture.

**PROTOCOL:** A 12-week independent third-party clinical study of 42 subjects to assess the efficacy potential of Hydrating Crème. Subjects represent both males and females, ages 25–76, with Fitzpatrick skin types I–V. Supported with use of Hydrating Cleanser and Sunscreen + Primer SPF 30 during the study. Immediate benefits were determined 30 minutes post application of the Hydrating Crème.

# HYDRATING CRÈME PROVEN RESULTS





#### REDNESS IMPROVEMENT

More than 80% of patients reported that their skin felt healthier and smoother, and was more hydrated and less red by week 12.

**PROTOCOL:** A 12-week independent third-party clinical study of 42 subjects to assess the efficacy potential of Hydrating Crème. Subjects represent both males and females, ages 25–76, with Fitzpatrick skin types I–V. Supported with use of Hydrating Cleanser and Sunscreen + Primer SPF 30 during the study. Immediate benefits were determined 30 minutes post application of the Hydrating Crème.

### HYDRATING CRÈME PROVEN RESULTS





TEXTURE + SMOOTHNESS IMPROVEMENT

Hydrating Crème visibly improves rough skin by smoothing skin texture.

**DISCLAIMER:** Images were captured and analyzed with an Antera analysis system to determine reduction in scaling. **PROTOCOL:** A 12-week independent third-party clinical study of 42 subjects to assess the efficacy potential of Hydrating Crème. Subjects represent both males and females, ages 25–76, with Fitzpatrick skin types I–V. Supported with use of Hydrating Cleanser and Sunscreen + Primer SPF 30 during the study. Immediate benefits were determined 30 minutes post application of the Hydrating Crème.

### GROWTH FACTOR EYE SERUM PROVEN RESULTS





# REDENSIFIED + INVIGORATED

At the 4-week interval, 95% of patients said that fine lines are less noticeable.

**DISCLAIMER:** Images have not been retouched. Images were acquired using the VISIA-CR photography system, with cross-polarized lighting. **PROTOCOL:** An 8-week third-party led clinical study on 36 subjects to assess product efficacy of Growth Factor Eye Serum. Supported with Gentle Cleanser and Broad Spectrum Sunscreen SPF 50.

### GROWTH FACTOR EYE SERUM PROVEN RESULTS





REDENSIFIED + INVIGORATED

At the 4-week interval, 92% of patients saw a noticeable reduction in the appearance of dark circles around the eyes.

**DISCLAIMER:** Images have not been retouched. Images were acquired using the VISIA-CR photography system, with cross-polarized lighting. **PROTOCOL:** An 8-week third-party led clinical study on 36 subjects to assess product efficacy of Growth Factor Eye Serum. Supported with Gentle Cleanser and Broad Spectrum Sunscreen SPF 50.

# RENEWAL CRÈME PROVEN RESULTS





IMPROVEMENT IN REDNESS + OVERALL APPEARANCE

At the 8-week interval, 90% of participants said skin feels healthier.

**PROTOCOL:** A 12-week third-party clinical study of 42 subjects to assess the efficacy potential of Renewal Crème. Subjects represent females, ages 42-65, with Fitzpatrick skin types I-IV. Supported with the use of Gentle Cleanser and Sunscreen + Primer Broad-Spectrum SPF 30 during the study.

# RENEWAL CRÈME PROVEN RESULTS







SOFTENS THE SIGNS OF AGING

At the 8-week interval, over 80% of participants said that skin feels more hydrated and less dull.

**PROTOCOL:** A 12-week third-party clinical study of 42 subjects to assess the efficacy potential of Renewal Crème. Subjects represent females, ages 42-65, with Fitzpatrick skin types I-IV. Supported with the use of Gentle Cleanser and Sunscreen + Primer Broad-Spectrum SPF 30 during the study.






IMPROVEMENT IN REDNESS + OVERALL APPEARANCE

At the 8-week interval, 91% of participants saw a visible improvement in skin smoothness.

**PROTOCOL:** A 12-week third-party clinical study of 44 subjects to assess the efficacy potential of Recovery Crème. Subjects represent females, ages 40-70, with Fitzpatrick skin types I-VI. Supported with the use of Gentle Cleanser and Sunscreen + Primer Broad-Spectrum SPF 30 during the study.





SOFTENS THE SIGNS OF AGING

At the 8-week interval, 94% of participants said that skin is younger-looking.

**PROTOCOL:** A 12-week third-party clinical study of 44 subjects to assess the efficacy potential of Recovery Crème. Subjects represent females, ages 40-70, with Fitzpatrick skin types I-VI. Supported with the use of Gentle Cleanser and Sunscreen + Primer Broad-Spectrum SPF 30 during the study.






IMPROVEMENT IN FINE LINES AROUND THE NECK

At the 4-week interval, Recovery Crème induced a reduction in fine lines on the neck.

**PROTOCOL:** A 12-week third-party clinical study of 44 subjects to assess the efficacy potential of Recovery Crème. Subjects represent females, ages 40-70, with Fitzpatrick skin types I-VI. Supported with the use of Gentle Cleanser and Sunscreen + Primer Broad-Spectrum SPF 30 during the study.





IMPROVEMENT IN FINE LINES AROUND THE NECK

At the 4-week interval, Recovery Crème induced a 36% decrease in wrinkle depth.

**PROTOCOL:** A 12-week third-party clinical study of 44 subjects to assess the efficacy potential of Recovery Crème. Subjects represent females, ages 40-70, with Fitzpatrick skin types I-VI. Supported with the use of Gentle Cleanser and Sunscreen + Primer Broad-Spectrum SPF 30 during the study.



